



# Worksheet for IntelliSet™ with ReeferManager™



## INTELLISET WORKSHEET FOR INTELLISETS #2 - 11

<b>Configurations</b>											
Use for all IntelliSets	Configuration Parameter	Frozen Cheese	Carrots	Storage Onions	Field Onions	Fresh above 38	Fresh 32-37	Storage Potatoes	Field Potatoes	Fresh Dairy Cheese	Fresh Meat
<input type="checkbox"/>	Setpoint	-5° F	32° F	40° F	45° F	42° F	34° F	40° F	48° F	34° F	34° F
<input type="checkbox"/>	Out of Range Shutdown										
<input type="checkbox"/>	Parameters Lockout										
<input type="checkbox"/>	ProductShield: Econo										
<input type="checkbox"/>	Econo Min Temp										
<input type="checkbox"/>	Econo Max Temp										
<input type="checkbox"/>	Econo DeltaT										
<input type="checkbox"/>	ProductShield: High Air										
<input type="checkbox"/>	High Air Min Temp										
<input type="checkbox"/>	High Air Max Temp										
<input type="checkbox"/>	High Air DeltaT										
<input type="checkbox"/>	ProductShield: Winter										
<input type="checkbox"/>	Range 1 Lock	Start/Stop	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Start/Stop
<input type="checkbox"/>	Range 1 Minimum Temp	-22° F	-22° F	-22° F	-22° F	-22° F	-22° F	-22° F	-22° F	-22° F	-22° F
<input type="checkbox"/>	Range 1 Maximum Temp	89.6° F	89.6° F	89.6° F	89.6° F	89.6° F	89.6° F	89.6° F	89.6° F	89.6° F	89.6° F
<input type="checkbox"/>	Range 2 Lock										
<input type="checkbox"/>	Range 2 Minimum Temp										
<input type="checkbox"/>	Range 2 Maximum Temp										
<input type="checkbox"/>	S/S or Cont Run										
<input type="checkbox"/>	Min Setpoint	-5°F	32°F	38° F	45° F	38° F	32° F	38° F	40° F	30° F	28° F
<input type="checkbox"/>	Max Setpoint	-5°F	38° F	48° F	55° F	60° F	38° F	45° F	55° F	45° F	38° F
<input type="checkbox"/>	AutoFresh Air Delay (XTC only)										
<input type="checkbox"/>	S/S Parameters										
<input type="checkbox"/>	Door Switch	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown
<input type="checkbox"/>	REMS 1	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown	Shutdown
<input type="checkbox"/>	REMS 2										
<input type="checkbox"/>	8 Hr Additional Data										
<input type="checkbox"/>	Decimal										
<input type="checkbox"/>	High Speed Delay (XTC Only)										

## INTELLISET WORKSHEET FOR INTELLISETS #2 - 11

<b>Functional Parameters (enter √ for individual lock)</b>																							
Use for all IntelliSets	Function	Frozen Cheese		Carrots		Storage Onions		Field Onions		Fresh above 38		Fresh 32-37		Storage Potatoes		Field Potatoes		Fresh Dairy Cheese		Fresh Meat			
<input type="checkbox"/>	Defrost Timer Set For	12hrs		12 hrs		6 hrs		6 hrs		6 hrs		6 hrs		6 hrs		6 hrs		6 hrs		6 hrs			
<input type="checkbox"/>	Perish Min Run Time			4min		4min		4min		4min		4min		4min		4min		4min		10min		10min	
<input type="checkbox"/>	Perish Min Off Time			20min		20min		20min		20min		20min		20min		20min		20min		90min		30min	
<input type="checkbox"/>	Perish Override Temp			11°F		11°F		11°F		11°F		11°F		11°F		11°F		11°F		6°F		6°F	
<input type="checkbox"/>	Perish Max Off Time			0min		0min		0min		0min		0min		0min		0min		0min		0min		30min	
<input type="checkbox"/>	Frozen Min Run Time	10min																					
<input type="checkbox"/>	Frozen Min Off Time	45min																					
<input type="checkbox"/>	Frozen Override Temp	11°F																					
<input type="checkbox"/>	Frozen Max Off Time	0min																					
<input type="checkbox"/>	Frozen Shutdown Offset																						
<input type="checkbox"/>	Temp Control	Return	X	Supply	X	Return	X	Return	X	Return	X	Supply	X	Return	X	Return	X	Return	X	Return	X	Return	X
<input type="checkbox"/>	Display In																						
<input type="checkbox"/>	Out Of Range Alarm																						
<input type="checkbox"/>	Air Flow	normal	X	high	X	high	X	high	X	normal	X	high	X	normal	X	normal	X	normal	X	normal	X	normal	X
<input type="checkbox"/>	Fresh Protect																						
<input type="checkbox"/>	AutoFresh Air (XTC only)	closed	X	closed	X	open		open		closed	X	closed	X	closed	X	closed	X	closed	X	closed	X	closed	X
<input type="checkbox"/>	AutoFresh Air Control (XCT only)	50cfm		50cfm		50cfm		50cfm		50cfm		50cfm		50cfm		50cfm		50cfm		50cfm		50cfm	
<input type="checkbox"/>	Low Speed Startup: Start-Stop																						
<input type="checkbox"/>	Low Speed Startup: Continuous																						
<input type="checkbox"/>	Unloader Press Control																						
<input type="checkbox"/>	Override Door S/D																						
<input type="checkbox"/>	Override REMS1 S/D																						
<input type="checkbox"/>	Override REMS2 S/D																						
<input type="checkbox"/>	Language/Idioms																						

## INTELLISET WORKSHEET FOR INTELLISETS #2 - 11

<b>Data Recorder Setup</b>											
Use for all IntelliSets		Frozen Cheese	Carrots	Storage Onions	Field Onions	Fresh above 38	Fresh 32-37	Storage Potatoes	Field Potatoes	Fresh Dairy Cheese	Fresh Meat
	<b>SENSORS</b>										
<input type="checkbox"/>	Return Air Temperature										
<input type="checkbox"/>	Supply Air Temperature										
<input type="checkbox"/>	Ambient Air Temp.										
<input type="checkbox"/>	Defrost Term Temp 1										
<input type="checkbox"/>	Defrost Term Temp 2										
<input type="checkbox"/>	Comp Discharge Temp										
<input type="checkbox"/>	Engine Coolant Temp										
<input type="checkbox"/>	Comp Discharge Press										
<input type="checkbox"/>	Comp Suction Press										
<input type="checkbox"/>	Battery Voltage										
<input type="checkbox"/>	Battery DC Current										
<input type="checkbox"/>	Engine RPM										
<input type="checkbox"/>	Remote Sensor #1										
<input type="checkbox"/>	Remote Sensor #2										
<input type="checkbox"/>	Remote Sensor #3										
<input type="checkbox"/>	Fuel Level Sensor										
	<b>EVENTS</b>										
<input type="checkbox"/>	Pretrip Start										
<input type="checkbox"/>	Pretrip End										
<input type="checkbox"/>	Trailer ID										
<input type="checkbox"/>	Unit Serial Number										
<input type="checkbox"/>	Unit Mode										
<input type="checkbox"/>	Control Mode										
<input type="checkbox"/>	Transducer Calibration										
	<b>INTERVAL</b>										
<input type="checkbox"/>	Logging Interval										

## INTELLISET WORKSHEET FOR INTELLISETS #12 - 21

<b>Configurations</b>											
Use for all IntelliSets	Configuration Parameter	Processed Meat	Frozen 0 and below	Frozen Fries	Frozen Poultry Meat	#16	#17	#18	#19	#20	#21
<input type="checkbox"/>	Setpoint	40°F	-5°F	-5°F	-5°F						
<input type="checkbox"/>	Out of Range Shutdown										
<input type="checkbox"/>	Parameters Lockout										
<input type="checkbox"/>	ProductShield: Econo										
<input type="checkbox"/>	Econo Min Temp										
<input type="checkbox"/>	Econo Max Temp										
<input type="checkbox"/>	Econo DeltaT										
<input type="checkbox"/>	ProductShield: High Air										
<input type="checkbox"/>	High Air Min Temp										
<input type="checkbox"/>	High Air Max Temp										
<input type="checkbox"/>	High Air DeltaT										
<input type="checkbox"/>	ProductShield: Winter										
<input type="checkbox"/>	Range 1 Lock	Start/Stop	Start/Stop	Start/Stop	Start/Stop						
<input type="checkbox"/>	Range 1 Minimum Temp	-22°F	-22°F	-22°F	-22°F						
<input type="checkbox"/>	Range 1 Maximum Temp	89.6°F	89.6°F	89.6°F	89.6°F						
<input type="checkbox"/>	Range 2 Lock										
<input type="checkbox"/>	Range 2 Minimum Temp										
<input type="checkbox"/>	Range 2 Maximum Temp										
<input type="checkbox"/>	<b>S/S or Cont Run</b>										
<input type="checkbox"/>	Min Setpoint	34°F	-5°F	-5°F	-5°F						
<input type="checkbox"/>	Max Setpoint	65°F	0°F	0°F	0°F						
<input type="checkbox"/>	AutoFresh Air Delay (XTC only)										
<input type="checkbox"/>	S/S Parameters										
<input type="checkbox"/>	Door Switch	Shutdown	Shutdown	Shutdown	Shutdown						
<input type="checkbox"/>	REMS 1	Shutdown	Shutdown	Shutdown	Shutdown						
<input type="checkbox"/>	REMS 2										
<input type="checkbox"/>	8 Hr Additional Data										
<input type="checkbox"/>	Decimal										
<input type="checkbox"/>	High Speed Delay (XTC Only)										

## INTELLISET WORKSHEET FOR INTELLISETS #12 - 21

<b>Functional Parameters (enter √ for individual lock)</b>																
Use for all IntelliSets	Function	Processed Meat	Frozen 0 and below		Frozen Fries		Frozen Poultry Meat		#16	#17	#18	#19	#20	#21		
<input type="checkbox"/>	Defrost Timer Set For	6 hrs		12 hrs		12 hrs		12 hrs								
<input type="checkbox"/>	Perish Min Run Time	10min														
<input type="checkbox"/>	Perish Min Off Time	30min														
<input type="checkbox"/>	Perish Override Temp	6°F														
<input type="checkbox"/>	Perish Max Off Time	30min														
<input type="checkbox"/>	Frozen Min Run Time			10min		10min		10min								
<input type="checkbox"/>	Frozen Min Off Time			45min		45min		45min								
<input type="checkbox"/>	Frozen Override Temp			11°F		11°F		11°F								
<input type="checkbox"/>	Frozen Max Off Time			0min		0min		0min								
<input type="checkbox"/>	Frozen Shutdown Offset															
<input type="checkbox"/>	Temp Control	return	X	return	X	return	X	return	X							
<input type="checkbox"/>	Display In															
<input type="checkbox"/>	Out Of Range Alarm															
<input type="checkbox"/>	Air Flow	normal	X	normal	X	normal	X	normal	X							
<input type="checkbox"/>	Fresh Protect															
<input type="checkbox"/>	AutoFresh Air (XTC only)	closed	X	closed	X	closed	X	closed	X							
<input type="checkbox"/>	AutoFresh Air Control (XCT only)	50cfm		50cfm		50cfm		50cfm								
<input type="checkbox"/>	Low Speed Startup: Start-Stop															
<input type="checkbox"/>	Low Speed Startup: Continuous															
<input type="checkbox"/>	Unloader Press Control															
<input type="checkbox"/>	Override Door S/D															
<input type="checkbox"/>	Override REMS1 S/D															
<input type="checkbox"/>	Override REMS2 S/D															
<input type="checkbox"/>	Language/Idioms															

## INTELLISET WORKSHEET FOR INTELLISETS #12 - 21

<b>Data Recorder Setup</b>											
Use for all IntelliSets		Processed Meat	Frozen 0 and below	Frozen Fries	Frozen Poultry Meat	#16	#17	#18	#19	#20	#21
	<b>SENSORS</b>										
<input type="checkbox"/>	Return Air Temperature										
<input type="checkbox"/>	Supply Air Temperature										
<input type="checkbox"/>	Ambient Air Temp.										
<input type="checkbox"/>	Defrost Term Temp 1										
<input type="checkbox"/>	Defrost Term Temp 2										
<input type="checkbox"/>	Comp Discharge Temp										
<input type="checkbox"/>	Engine Coolant Temp										
<input type="checkbox"/>	Comp Discharge Press										
<input type="checkbox"/>	Comp Suction Press										
<input type="checkbox"/>	Battery Voltage										
<input type="checkbox"/>	Battery DC Current										
<input type="checkbox"/>	Engine RPM										
<input type="checkbox"/>	Remote Sensor #1										
<input type="checkbox"/>	Remote Sensor #2										
<input type="checkbox"/>	Remote Sensor #3										
<input type="checkbox"/>	Fuel Level Sensor										
	<b>EVENTS</b>										
<input type="checkbox"/>	Pretrip Start										
<input type="checkbox"/>	Pretrip End										
<input type="checkbox"/>	Trailer ID										
<input type="checkbox"/>	Unit Serial Number										
<input type="checkbox"/>	Unit Mode										
<input type="checkbox"/>	Control Mode										
<input type="checkbox"/>	Transducer Calibration										
	<b>INTERVAL</b>										
<input type="checkbox"/>	Logging Interval										

## INTELLISET WORKSHEET FOR INTELLISETS #22 - 31

<b>Configurations</b>											
<b>Use for all IntelliSets</b>	<b>Configuration Parameter</b>	<b>#22</b>	<b>#23</b>	<b>#24</b>	<b>#25</b>	<b>#26</b>	<b>#27</b>	<b>#28</b>	<b>#29</b>	<b>#30</b>	<b>#31</b>
<input type="checkbox"/>	Setpoint										
<input type="checkbox"/>	Out of Range Shutdown										
<input type="checkbox"/>	Parameters Lockout										
<input type="checkbox"/>	ProductShield: Econo										
<input type="checkbox"/>	Econo Min Temp										
<input type="checkbox"/>	Econo Max Temp										
<input type="checkbox"/>	Econo DeltaT										
<input type="checkbox"/>	ProductShield: High Air										
<input type="checkbox"/>	High Air Min Temp										
<input type="checkbox"/>	High Air Max Temp										
<input type="checkbox"/>	High Air DeltaT										
<input type="checkbox"/>	ProductShield: Winter										
<input type="checkbox"/>	Range 1 Lock										
<input type="checkbox"/>	Range 1 Minimum Temp										
<input type="checkbox"/>	Range 1 Maximum Temp										
<input type="checkbox"/>	Range 2 Lock										
<input type="checkbox"/>	Range 2 Minimum Temp										
<input type="checkbox"/>	Range 2 Maximum Temp										
<input type="checkbox"/>	<b>S/S or Cont Run</b>										
<input type="checkbox"/>	Min Setpoint										
<input type="checkbox"/>	Max Setpoint										
<input type="checkbox"/>	AutoFresh Air Delay (XTC only)										
<input type="checkbox"/>	S/S Parameters										
<input type="checkbox"/>	Door Switch										
<input type="checkbox"/>	REMS 1										
<input type="checkbox"/>	REMS 2										
<input type="checkbox"/>	8 Hr Additional Data										
<input type="checkbox"/>	Decimal										
<input type="checkbox"/>	High Speed Delay (XTC Only)										

## INTELLISET WORKSHEET FOR INTELLISETS #22 - 31

<b>Functional Parameters (enter √ for individual lock)</b>											
Use for all IntelliSets	Function	#22	#23	#24	#25	#26	#27	#28	#29	#30	#31
<input type="checkbox"/>	Defrost Timer Set For										
<input type="checkbox"/>	Perish Min Run Time										
<input type="checkbox"/>	Perish Min Off Time										
<input type="checkbox"/>	Perish Override Temp										
<input type="checkbox"/>	Perish Max Off Time										
<input type="checkbox"/>	Frozen Min Run Time										
<input type="checkbox"/>	Frozen Min Off Time										
<input type="checkbox"/>	Frozen Override Temp										
<input type="checkbox"/>	Frozen Max Off Time										
<input type="checkbox"/>	Frozen Shutdown Offset										
<input type="checkbox"/>	Temp Control										
<input type="checkbox"/>	Display In										
<input type="checkbox"/>	Out Of Range Alarm										
<input type="checkbox"/>	Air Flow										
<input type="checkbox"/>	Fresh Protect										
<input type="checkbox"/>	AutoFresh Air (XTC only)										
<input type="checkbox"/>	AutoFresh Air Control (XCT only)										
<input type="checkbox"/>	Low Speed Startup: Start-Stop										
<input type="checkbox"/>	Low Speed Startup: Continuous										
<input type="checkbox"/>	Unloader Press Control										
<input type="checkbox"/>	Override Door S/D										
<input type="checkbox"/>	Override REMS1 S/D										
<input type="checkbox"/>	Override REMS2 S/D										
<input type="checkbox"/>	Language/Idioms										



## INTELLISET WORKSHEET FOR INTELLISETS #22 - 31

<b>Data Recorder Setup</b>											
Use for all IntelliSets		#22	#23	#24	#25	#26	#27	#28	#29	#30	#31
	<b>SENSORS</b>										
<input type="checkbox"/>	Return Air Temperature										
<input type="checkbox"/>	Supply Air Temperature										
<input type="checkbox"/>	Ambient Air Temp.										
<input type="checkbox"/>	Defrost Term Temp 1										
<input type="checkbox"/>	Defrost Term Temp 2										
<input type="checkbox"/>	Comp Discharge Temp										
<input type="checkbox"/>	Engine Coolant Temp										
<input type="checkbox"/>	Comp Discharge Press										
<input type="checkbox"/>	Comp Suction Press										
<input type="checkbox"/>	Battery Voltage										
<input type="checkbox"/>	Battery DC Current										
<input type="checkbox"/>	Engine RPM										
<input type="checkbox"/>	Remote Sensor #1										
<input type="checkbox"/>	Remote Sensor #2										
<input type="checkbox"/>	Remote Sensor #3										
<input type="checkbox"/>	Fuel Level Sensor										
<input type="checkbox"/>	<b>EVENTS</b>										
<input type="checkbox"/>	Pretrip Start										
<input type="checkbox"/>	Pretrip End										
<input type="checkbox"/>	Trailer ID										
<input type="checkbox"/>	Unit Serial Number										
<input type="checkbox"/>	Unit Mode										
<input type="checkbox"/>	Control Mode										
<input type="checkbox"/>	Transducer Calibration										
<input type="checkbox"/>	<b>INTERVAL</b>										
<input type="checkbox"/>	Logging Interval										